

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|------------------------------------|------------------|---------|------------------|
| S1 | 8 | ("20020114997" "20040038808" "5652043" "5811204" "5897522" "6234225" "6423446" "6833219").PN. | US-PGPUB; USPAT | OR | ON | 2009/12/17 16:11 |
| S2 | 676 | ("429"/\$.ccls. h01m008/\$.ipc.) and (watanabe-k\$.inv. horie-h\$.inv. shimamura-o\$.inv. saito-t\$.inv.) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/12/17 17:00 |
| S3 | 127 | S2 and electrode with thickness | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/12/17 17:12 |
| S4 | 19 | S2 and electrode with thickness with (uniform stanrd near2 deviation maxiumum minimum) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/12/17 17:13 |
| S5 | 19 | S2 and electrode with thickness with (uniform standard near2 deviation maxiumum minimum) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/12/17 17:13 |
| S6 | 196 | h01m\$/\$.ipcr. and electrode same thickness with (uniform standard near2 deviation maxiumum minimum) not S5 | EPO; JPO; DERWENT | OR | ON | 2009/12/17 17:17 |
| S7 | 1892 | ("429"/\$.ccls. h01m\$/\$.ipc.) and (watanabe-k\$.inv. horie-h\$.inv. shimamura-o\$.inv. saito-t\$.inv.) not S5 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/12/17 17:17 |

| | | | | | | |
|-----|------|--|------------------------------------|----|----|------------------|
| S8 | 5 | S7 and electrode with thickness with (uniform standard near2 deviation maximum minimum) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/12/17 17:17 |
| S9 | 145 | h01m\$/\$.ipcr. and electrode with thickness with (uniform standard near2 deviation maximum minimum) not S5 not S8 | EPO; JPO; DERWENT | OR | ON | 2009/12/17 17:18 |
| S10 | 131 | h01m\$/\$.ipcr. and electrode with thickness with (uniform standard near2 deviation) not S5 not S8 | EPO; JPO; DERWENT | OR | ON | 2009/12/17 17:22 |
| S11 | 583 | "429"/\$.ccls. and electrode with thickness with (uniform standard near2 deviation maximum minimum) | US-PGPUB; USPAT | OR | ON | 2009/12/17 17:24 |
| S12 | 348 | "429"/\$.ccls. and (anode cathode electrode) with thickness near2 (uniform standard near2 deviation maximum minimum) not fuel near2 cell | US-PGPUB; USPAT | OR | ON | 2009/12/17 17:24 |
| S13 | 298 | "429"/\$.ccls. and (anode cathode electrode) with thickness near2 (uniform standard near2 deviation) not fuel near2 cell | US-PGPUB; USPAT | OR | ON | 2009/12/17 17:24 |
| S14 | 292 | S13 not S5 not S8 | US-PGPUB; USPAT | OR | ON | 2009/12/17 17:24 |
| S15 | 2300 | "429"/\$.ccls. and (cathode positive) with (lithium near2 manganese lithium near2 nickel lini limn) | US-PGPUB; USPAT | OR | ON | 2009/12/17 17:48 |

| | | | | | | |
|-----|-----|---|-----------------|----|----|------------------|
| S16 | 0 | "429"/\$.ccls. and (cathode positive) with (lithium near2 manganese lithium near2 nickel lini limn) with ".um." | US-PGPUB; USPAT | OR | ON | 2009/12/17 17:49 |
| S17 | 52 | "429"/\$.ccls. and (cathode positive) with (lithium near2 manganese lithium near2 nickel lini limn) and (anode negative) with (crystalline noncrystalline) near2 carbon and (anode cathode electrode) with thick\$4 | US-PGPUB; USPAT | OR | ON | 2009/12/17 17:50 |
| S18 | 0 | S17 and inkjet | US-PGPUB; USPAT | OR | ON | 2009/12/17 17:57 |
| S19 | 0 | S17 and inkjet\$4 | US-PGPUB; USPAT | OR | ON | 2009/12/17 17:57 |
| S20 | 11 | "429"/\$.ccls. and (cathode positive) with (lithium near2 manganese lithium near2 nickel lini limn) and (anode negative) with (crystalline noncrystalline) near2 carbon and (electrode anode cathode) with ". mu.m" and pouch | US-PGPUB; USPAT | OR | ON | 2009/12/17 18:35 |
| S21 | 0 | S20 and metal near2 polymer with (pouch housing case) | US-PGPUB; USPAT | OR | ON | 2009/12/17 18:40 |
| S22 | 102 | "429"/\$.ccls. and metal near2 polymer with (pouch housing case) | US-PGPUB; USPAT | OR | ON | 2009/12/17 18:40 |
| S23 | 0 | "429"/\$.ccls. and (cathode positive) with (lithium near2 manganese lithium near2 nickel lini limn) and (anode negative) with (crystalline noncrystalline) near2 carbon and S22 | US-PGPUB; USPAT | OR | ON | 2009/12/17 18:40 |

| | | | | | | |
|-----|-----|---|-----------------|----|----|------------------|
| S24 | 62 | "429"/\$.ccls. and metal with laminate with polymer with (pouch housing case) | US-PGPUB; USPAT | OR | ON | 2009/12/17 18:41 |
| S25 | 0 | "429"/\$.ccls. and (cathode positive) with (lithium near2 manganese lithium near2 nickel lini limn) and (anode negative) with (crystalline noncrystalline) near2 carbon and S24 | US-PGPUB; USPAT | OR | ON | 2009/12/17 18:41 |
| S26 | 106 | "429"/\$.ccls. and metal with layer with polymer with (pouch housing case) | US-PGPUB; USPAT | OR | ON | 2009/12/17 18:41 |
| S27 | 2 | "429"/\$.ccls. and (cathode positive) with (lithium near2 manganese lithium near2 nickel lini limn) and (anode negative) with (crystalline noncrystalline) near2 carbon and S26 | US-PGPUB; USPAT | OR | ON | 2009/12/17 18:41 |

12/ 18/ 2009 2:44:24 PM

C:\ Documents and Settings\ AEchelmeyer\ My Documents\ EAST\ Workspaces\ 10560047.
wsp